

## Detrex® NF 5™ 20°

20° Baume NF Grade 5ppb Trace Metal Hydrochloric Acid  
CAS No. 7647-01-0

<u>Parameter</u>	<u>Specification*</u>	<u>Detrex Typical</u>
Identification	Passes Test	Passes Test
Assay	30.45 – 32.45%	31.45%
Residue on Ignition	0.008%	< 0.001%
Bromide or Iodide	Passes Test	Passes Test
Free Bromine or Chlorine	Passes Test	Passes Test
Sulfate	Passes Test	Passes Test
Sulfite (SO <sub>3</sub> )	Passes Test	Passes Test

\*Meets USP40-NF35 specifications, US Pharmacopeia Convention

\*All analytical testing is performed in accordance with the monograph requirements or with validated alternative test methods.

<u>Trace Metal Element</u>	<u>Specification</u>	<u>Detrex Typical*</u>
Aluminum (Al)	5 ppb max	< 2 ppb
Antimony (Sb)	5 ppb max	< 2 ppb
Arsenic (As)	5 ppb max	< 2 ppb
Barium (Ba)	5 ppb max	< 2 ppb
Beryllium (Be)	5 ppb max	< 2 ppb
Bismuth (Bi)	5 ppb max	< 2 ppb
Boron (B)	5 ppb max	< 2 ppb
Cadmium (Cd)	5 ppb max	< 2 ppb
Calcium (Ca)	5 ppb max	< 2 ppb
Chromium (Cr)	5 ppb max	< 2 ppb
Cobalt (Co)	5 ppb max	< 2 ppb
Copper (Cu)	5 ppb max	< 2 ppb
Gallium (Ga)	5 ppb max	< 2 ppb
Germanium (Ge)	5 ppb max	< 2 ppb
Gold (Au)	5 ppb max	< 2 ppb
Indium (In)	5 ppb max	< 2 ppb
Iron (Fe)	5 ppb max	< 2 ppb
Lead (Pb)	5 ppb max	< 2 ppb
Lithium (Li)	5 ppb max	< 2 ppb
Magnesium (Mg)	5 ppb max	< 2 ppb
Manganese (Mn)	5 ppb max	< 2 ppb
Molybdenum (Mo)	5 ppb max	< 2 ppb
Nickel (Ni)	5 ppb max	< 2 ppb
Niobium (Nb)	5 ppb max	< 2 ppb
Platinum (Pt)	5 ppb max	< 2 ppb
Potassium (K)	5 ppb max	< 2 ppb
Silicon (Si)	5 ppb max	< 2 ppb
Silver (Ag)	5 ppb max	< 2 ppb
Sodium (Na)	5 ppb max	< 2 ppb
Strontium (Sr)	5 ppb max	< 2 ppb
Tantalum (Ta)	5 ppb max	< 2 ppb
Thallium (Tl)	5 ppb max	< 2 ppb
Thorium (Th)	5 ppb max	< 2 ppb
Tin (Sn)	5 ppb max	< 2 ppb
Titanium (Ti)	5 ppb max	< 2 ppb



## Specification Sheet NF 5<sup>™</sup>

Vanadium (V)	5 ppb max	< 2 ppb
Zinc (Zn)	5 ppb max	< 2 ppb
Zirconium (Zr)	5 ppb max	< 2 ppb

---

\*All testing completed with PerkinElmer ICP/MS